

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier	
Name of product	PUR-O-STOP FLEX
<b>1.2. Relevant identified uses of the substance</b> No information available.	or mixture and uses advised against
1.3. Details of the supplier of the safety data s	heet
Manufacturer/distributor	TPH Bausysteme GmbH Nordportbogen 8, D-22848 Norderstedt Phone +49 (0)40 / 52 90 66 78-0, Fax +49 (0)40 / 52 90 66 78-78 E-Mail info@tph-bausysteme.com Internet www.tph-bausysteme.com
Advice	Research & Development E-mail (competent person): j.guenther@tph-bausysteme.com
1.4. Emergency telephone number	
Emergency advice	Phone +49 (0)40 / 52 90 66 78-52

# **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 [CLP/GHS]

Hazard classes ar categories	nd Hazard	Hazard Statements	Classification procedure
Skin Irrit. 2		H315	
Eye Irrit. 2		H319	
Resp. Sens. 1			
Skin Sens. 1		H317	
Carc. 2		H351	
STOT SE 3		H335, H336	
STOT RE 2		H373	
Hazard statemen H315 H317 H319 H335 H336 H351 H373	Causes skin i May cause an Causes serio May cause re May cause dr Suspected of	rritation. a allergic skin reaction us eye irritation. spiratory irritation. owsiness or dizziness causing cancer.	
Additional hints			

This mixture is classified as hazardous according to Regulation (EC) No 1272/2008 [GHS].

#### 2.2. Label elements



# Labelling according to Regulation (EC) No 1272/2008 [CLP/GHS]



Signal word Danger

#### Hazard statements for health hazards

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H351	Suspected of causing cancer.
H373	May cause damage to organs through prolonged or repeated exposure.

#### **Precautionary Statements**

#### Prevention

<b>D</b>	
P285	In case of inadequate ventilation wear respiratory protection.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P260	Do not breathe dust/fume/gas/mist/vapours/spray.

#### Response

nooponioo	
P302 + P352	IF ON SKIN: Wash with plenty of water/soap.
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305 + P351 +	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,
P338	if present and easy to do. Continue rinsing.

# Hazardous ingredients for labeling

methylenediphenyl diisocyanate

#### Special rules for supplemental label elements for certain mixtures

Contains isocyanates. May produce an allergic reaction.

#### 2.3. Other hazards

No information available.

# **SECTION 3: Composition/ information on ingredients**

### 3.1. Substances

not applicable

#### 3.2. Mixtures Hazardous ingredients

CAS No	EC No	Name	[% weight]	Classification according to Regulation (EC) No 1272/2008 [CLP/ GHS]
78-40-0	201-114-5	triethylphosphate	10 - 25	Acute Tox. 4, H302
26447-40-5	247-714-0	methylenediphenyl diisocyanate	25 - 50	Carc. 2, H351 / Acute Tox. 4, H332 /
				STOT RE 2, H373 / Eye Irrit. 2, H319 /
				STOT SE 3, H335 / Skin Irrit. 2, H315 /
				Resp. Sens. 1, H334 / Skin Sens. 1,
				H317
6425-39-4	229-194-7	2,2-Dimorpholinodiethylether	1 - 2,5	Skin Irrit. 2, H315 / Eye Irrit. 2, H319



# **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

# **General information**

Remove contaminated soaked clothing immediately. In the event of persistent symptoms receive medical treatment. Take affected person into fresh air.

# In case of inhalation

Ensure of fresh air. Seek medical treatment immediately.

#### In case of skin contact

In case of contact with skin wash off immediately with soap and water. Consult a doctor if skin irritation persists.

#### In case of eye contact

In case of contact with eyes rinse with plenty of water carefully. In the event of persistent symptoms seek medical treatment.

#### In case of ingestion

Do not induce vomiting. Call for a doctor immediately. Rinse out mouth thoroughly with water.

# **4.2. Most important symptoms and effects, both acute and delayed** No information available.

# 4.3. Indication of any immediate medical attention and special treatment needed Treatment (Advice to doctor)

Treat symptoms.

# **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

Suitable extinguishing media Foam Dry powder Gaseous fire-extinguishing substance Carbon dioxide

Unsuitable extinguishing media water

#### 5.2. Special hazards arising from the substance or mixture

In case of fire formation of dangerous gases possible. In the event of fire the following can be released: Nitrogen oxides (NOx) Carbon monoxide (CO) Carbon dioxide (CO2) Hydrogen cyanide (HCN)

# 5.3. Advice for firefighters

**Special protective equipment for fire-fighters** Use breathing apparatus with independent air supply. Wear full protective clothing.



# Additional information

Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

Collect contaminated firefighting water separately, must not be discharged into the drains.

### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures For non-emergency personnel

Personal protection by wearing close-fitting protective clothing and breathing apparatus. High risk of slipping due to leakage/spillage of product.

#### 6.2. Environmental precautions

Do not discharge into the drains or bodies of water.. Do not discharge into the subsoil/soil.

### 6.3. Methods and material for containment and cleaning up

Take up with absorbent material (e.g. sand). Do not take up with sawdust or other combustible materials. After taking up the material dispose according to regulation.

#### **Additional Information**

Informations for disposal see chapter 13.

### 6.4. Reference to other sections

No information available.

# **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

#### Advice on safe handling

Care for thoroughly room ventilation, if necessary use in well ventilated area with local exhaust ventilation at workplace.

No special measures necessary if used correctly.

Take the usual precautions when handling with chemicals.

#### **General protective measures**

Avoid contact with eyes and skin Do not inhale gases/vapours/aerosols.

#### Hygiene measures

At work do not eat, drink and smoke. Remove soiled or soaked clothing immediately. Wash hands before breaks and after work.

Advice on protection against fire and explosion

No special measures necessary.

# 7.2. Conditions for safe storage, including any incompatibilities Requirements for storage rooms and vessels

Keep in closed original container.

Do not use containers, leads, pipes a.s.o. of copper or copper-containing alloys. Use steel or stainless steel containers.



Advice on storage compatibility Keep away from water.

**Further information on storage conditions** Store closed container at cool and aired place. Protect from frost. Protect from atmospheric moisture and water

7.3. Specific end use(s)

No information available.

### **SECTION 8: Exposure controls/personal protection**

# 8.1. Control parameters

#### 8.2. Exposure controls

**Respiratory protection** If ventilation insufficient, wear respiratory protection.

Hand protection Synthetic rubber gloves PVC gloves

**Eye protection** tightly fitting goggles

Other protection measures protective clothing

# **SECTION 9: Physical and chemical properties**

9.1. Information on b Appearance liquid	asic physical and	d chemical prope Colour translucent	rties	<b>Odour</b> character	istic
Odour threshold not determined					
Important health, saf	ety and environn	nental informatio	n		
	Value	Temperature	at	Method	Remark
pH value	not applicable	1			

pH value	not applicable	
Acid number	not applicable	
boiling range	> 180 °C	
melting point	not determined	
Flash point	> 100 °C	open cup
Vapourisation rate	not determined	
Flammable (solid)	not applicable	



Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) Printed 29.05.2018 revision 29.05.2018 (GB) Version 4.0 **PUR-O-STOP FLEX** 

	Value	Temperature	at	Method	Remark
Flammability (gas)	not applicable				
Ignition temperature	not determined				
Self ignition temperature	no				
Lower explosion limit	not applicable				
Upper explosion limit	not applicable				
Vapour pressure	< 1E-5 hPa	20 °C			
Relative density	ca. 1,1 g/cm3	23 °C		DIN EN ISO 2811-1	
Bulk density	not applicable				
Vapour density	not determined				
Solubility in water					Reacts with water
Solubility/other	not determined				
Partition coefficient n- octanol/water (log P O/W)	not determined				
Decomposition temperature	not determined				
Viscosity dynamic	ca. 300 mPa*s	23 °C		DIN EN ISO 2555	
Solvent separation test	not determined				
Solvent content	no				
Water content	no				
Solids content	no				
Combustion value	not applicable				
Oxidising properties					
Explosive properties no					
9.2. Other information					



# **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No information available.

# **10.2. Chemical stability** No information available.

**10.3. Possibility of hazardous reactions** No information available.

#### 10.4. Conditions to avoid

Reaction with water, with formation of carbon dioxide. Reactions with alcohols, amines, aqueous acids and alkalies.

#### 10.5. Incompatible materials

Substances to avoid Reactions with acids. Reactions with water. Reactions with alcohols. Reactions with alkalies. Reactions with amines.

#### 10.6. Hazardous decomposition products

Carbon monoxide Carbon dioxide HCN Nitrous oxides (NOx) Hydrocarbons

# Thermal decomposition

Remark No decomposition if used as directed.

# **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

# Acute toxicity/Irritation/Sensitization

	Value/Validation	Species	Method	Remark
LD50 acute oral	> 5000 mg/kg	rat		
LD50 acute dermal	> 9000 mg/kg	rabbit		
LC50 acute inhalation	490 mg/l (4 h)	rat		
Skin irritation	irritant			
Eye irritation	irritant			
Skin sensitization	sensitizing			



	Value/Validation	Species	Method	Remark	
Sensitization respiratory system	sensitizing				

# Subacute Toxicity - Carcinogenicity

	Value	Species	Method	Validation
Subacute Toxicity	not determined			
Subchronic Toxicity	not determined			
Chronic Toxic	not determined			
Mutagenicity	not determined			
Reproduction Toxicity	- not determined			
Carcinogenici	ity not determined			
Specific targe No data available	t organ toxicity (single	exposure)		
Specific targe No data available	t organ toxicity (repeat	ed exposure)		
Aspiration has	zard			
Sensitization th	nade from practice nrough inhalation possible nrough skin contact possi atory tract			
Irritates respira Irritates eyes a				
Irritates respira Irritates eyes a Additional info	nd skin.	nain component.		
Irritates respira Irritates eyes a Additional infe The declaration	nd skin. ormation	nain component.		
Irritates respira Irritates eyes a Additional infe The declaration	nd skin. ormation ns of toxicology refer to n	nain component.		
Irritates respira Irritates eyes a Additional infe The declaration	nd skin. ormation ns of toxicology refer to n logical information	nain component.	Method	Validation

**Daphnia** EC50 > 1000 mg/l (48 h)

# 12.2. Persistence and degradability



	Elimination rate	Method of analysis	Method	Validation		
Physico- chemical degradability	not determined					
Biological degradability	not determined					
Degradability	not determined					
Biological eliminability	not applicable					
Degradability according to WRMG	not determined					
12.3. Bioaccumulative potential not determined						
<b>12.4. Mobility in soil</b> No data available						
<b>12.5. Results of PBT and vPvB assessment</b> No information available.						
12.6. Other adverse effects Behaviour in sewage plant not determined						
Respiration inhibit	ion of activated s Value	luge Method	Remark			
EC 50	not determined					
Additional ecological information Value Method Remark						
00	No data availab	le				
COD	No data availab	le				
BOD	No data availab	le				
AOX	not applicable					

# Contains following heavy metals and compounds of the 76/464/EWG

no

#### **General regulation**

Product is not allowed to be discharged into aquatic environment, drains or sewage treatment plants. The information to ecology refers to main component.



07 02 08\*

# **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods Waste code No.

Name of waste other still bottoms and reaction residues

Wastes marked with an asterisk are considered to be hazardous waste pursuant to Directive 2008/98/EC on hazardous waste.

#### **Recommendations for the product**

In accordance with regulations for special waste, must be taken to a special waste disposal.

#### **Recommendations for packaging**

Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken fot reuse.

Packaging that cannot be cleaned should be disposed of like the product.

# **SECTION 14: Transport information**

	ADR/RID	IMDG	IATA-DGR
14.1. UN number	-	-	-
14.2. UN proper shipping name	-	-	-
14.3. Transport hazard class(es)	-	-	-
14.4. Packing group	-	-	-
14.5. Environmental hazards	-	-	-

#### 14.6. Special precautions for user

No information available.

#### **14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** No information available.

#### Land and inland navigation transport ADR/RID

No dangerous goods as defined by these transport regulations.

#### Marine transport IMDG

No dangerous goods as defined by these transport regulations.

#### Air transport ICAO/IATA-DGR

No dangerous goods as defined by these transport regulations.

# Transport/further information

No dangerous goods as defined by the transport regulations - ADR/RID, IMDG, ICAO/IATA-DGR.



# **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **National regulations**

Other regulations, restrictions and prohibition regulationsWork medicine Principles G27: "Isocyanate"ZH 1/34 "Data Sheet: Polyurethane manufacture / Isocyanate (M 044)"ZH 1/118 "Working with health hazard substances (for the workers) (M 050)"MAL-Code: 00-5 (Denmark)Water hazard class1Mixture-WGK

Decree for case of<br/>interference/remarksAccident decree, addendum II: not named.

15.2. Chemical Safety Assessment

No information available.

# **SECTION 16: Other information**

#### **Recommended uses and restrictions**

National and local regulations concerning chemicals shall be observed.

#### **Further information**

The information contained herein is based on the state of our knowledge. It characterizes the product with regard to the appropriate safety precautions. It does not represent a guarantee of the properties of the product.

- H302 Harmful if swallowed.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- H335 May cause respiratory irritation.
- H351 Suspected of causing cancer (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard).
- H373 May cause damage to organs (or state all organs affected, if known) through prolonged or repeated exposure (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard).