

and the second second

Grolux LED Linear GROLUX LED LINEAR UNIVERSAL 0020914

Product features

IP66 rated • PPF efficacy up to 3.06 mol/J • Life time 50,000Hrs L70B50 • To be used with a SELV driver



PRODUCT OVERVIEW

IPC Code	0020914
Product name	GROLUX LED LINEAR UNIVERSAL
Technology	LED
Watt (Rated) (W)	66
Cap/Base	Cable
Mount	Suspension
Fixture rating	Enclosed
Certifications	00
ETIM Class	EC000996
Luminous flux (Im)	4000
Light colour	Grolux
Beam Angle (°)	120
Photobiological Risk Group	2
Wattage (W)	66
Product Voltage (V)	47
Control gear type	Electronic (constant current)
Dimmable	Yes
Average life (Nominal) (h)	50000
IP rating	IP66
Product EAN number	5410288209142
Chromaticity coordinate Y	0.212

DATA TABLE

General data	
IPC Code	0020914
Product name	GROLUX LED LINEAR UNIVERSAL
Technology	LED
Watt (Rated) (W)	66
Cap/Base	Cable
Mount	Suspension

SYLVANIA

Grolux LED Linear GROLUX LED LINEAR UNIVERSAL 0020914

Fixture rating	Enclosed
Operating temperature range (°C)	-40 to 65
Operating temperature rated (°C)	25
Certifications	00
ETIM Class	EC000996
	EC000330
Optical data	
Luminous flux (Im)	4000
Luminous flux (Rated) (Im)	4000
Ambient temperature for maximum luminous flux (°C)	-40
Photosynthetic Photon Flux Density (PPFD)	285
Light colour	Grolux
Beam Angle (°)	120
Beam angle (Rated) (°)	120
Photobiological Risk Group	2
Lumen maintenance at end of nominal life (%)	90
Electrical data	
Wattage (W)	66
Starting time (max) (s)	0
Warm-up time to 60% of full light (max) (s)	0
Current (A)	1.400
Product Voltage (V)	47
Lamp power factor	1
Control gear required	Yes
Control gear type	Electronic (constant current)
No. Of switching cycles before premature failures	100000
Transformer required	No
Dimmable	Yes
Drive current (mA)	1400
Lifetime data	
Average life (Nominal) (h)	50000
Average life (Rated) (h)	50000
Physical data	
IP rating	IP66
Nominal Product Width (mm)	25.4
Nominal Product Height (mm)	38.5
Max. Length base to base (mm) - A	950
Max. Lamp Length (mm) - C/L	1000
Weight (kg)	0.9
weight (kg)	
Packaging	
	Without Packaging

SYLVANIA

Grolux LED Linear GROLUX LED LINEAR UNIVERSAL 0020914

Product EAN number	5410288209142
Packaging single length / height (cm)	100.0
Packaging single width (cm)	2.6
Packaging single depth (cm)	4.0
DUN14 (outer)	05410288209142
Units per outer package	1
Packaging outer length / height (cm)	100.0
Packaging outer width (cm)	2.6
Packaging outer depth (cm)	4.0
Safety data	
,	V
Special purpose lamp	Yes
Suitable for household illumination	No
Optimum operating conditions	1400mA

PHOTOMETRY

